

FOUNDATION

CONTRACT CARPET CUSHION

Engineered for Double-Glue & Stretch-In Installations



HEALTHIERCHOICE
PREMIUM CARPET CUSHION & ACOUSTIC SOLUTIONS




www.agk.com.tr

FOUNDATION

CONTRACT CARPET CUSHION

It's a new name for a proven cushion engineered to meet the challenging demands of all contract applications including both double-glue and stretch-in installations. Made with rapidly renewable materials and certified as a low emitting product for superior indoor air quality, no other cushion is as durable or has as many green attributes.



CUSHION HISTORY

We first manufactured frothed polyurethane foam in the late 1970's applying it to the back of carpet as an attached cushion. This system later became known as The Enhancer™ from Dow and is the most widely specified attached cushion program in the carpet industry, virtually eliminating the use of (SBR) rubber attached cushion.

By the mid 1980's we began making a separate carpet cushion known today as FOUNDATION. With a 25 year track record and millions of yards installed around the world, confidence is assured when specifying FOUNDATION Contract Carpet Cushion.

HIGH PERFORMANCE PROTECTION



Made of visco-elastic memory foam which acts like millions of miniature shock absorbers, FOUNDATION provides unrivaled comfort and protection for the carpet helping it look better and last longer. Padding made from other materials such as rubber or bonded foam is not as durable or resilient as Healthier Choice's unique frothed polyurethane foam.

SUSTAINABILITY BREAKTHROUGH



Made in part with eco-friendly soybean oil, lessening dependence on petrochemicals. This reduces global warming emissions and the need for foreign oil while supporting local farmers and producers.

LEED Credit MR 6 -Rapidly Renewable Resource

GREENGUARD CERTIFIED



Healthier Choice manufactures the only carpet cushion which is GREENGUARD Indoor Air Quality Certified® passing the most stringent off-gassing criteria for low emitting building products. It is also CRI Green Label approved as a low VOC emitting cushion.

LEED Credit AQ 4.3 -Low Emitting Product

FOUNDATION

CONTRACT CARPET CUSHION

Engineered for Double-Glue & Stretch-In Installations

SP

Frothed Polyurethane Foam
RELEASE Backing System
Thickness : 6.35 mm (0.250 inches)
Density : 192 kg/m³ (12 lbs/ft³)
Roll Width : 1.83 m (6 feet)
GREENGUARD INDOOR AIR QUALITY CERTIFIED


FOUNDATION

SP

CUSHION ATTRIBUTES


STYLE	: FSE270-FOUNDATION SP 270 ft. ² (25.1 m ²) roll
MATERIAL	: Frothed polyurethane-a visco-elastic "memory foam" material
THICKNESS	: 0.216 inches (5.5 mm)
BOTTOM FABRIC	: RELEASE releasable woven backing for ease of removal at the end of useful life
DURABILITY	: Compression Set 7% max. Indentation Load Deflection (25%) 14 lbs. / ft. ² (68.40 kg / m ²) Indentation Load Deflection (65%) 78 lbs. / ft. ² (380.80 kg / m ²) Density 12 lbs. / ft. ³ (192.20 kg / m ³)
FIRE RATING	: NBS Smoke Chamber <100 max. Pill Test (FF 1-70) Pass Radiant Panel (ASTM E 648) <i>Not applicable to separate carpet cushion</i> <i>Carpet and cushion must be tested as an assembly</i>
INSULATION RATING	: R-Value (ASTM C 518) 0.87 Recommended for radiant heated floors
SOUND RATING	: Impact Insulation Class Rating (ASTM E 492-90) 75 IIC
WATER RESISTANCE	: British Spill Test Method E: Part 2 Pass Moisture Bloc Foam stops liquid spills, making clean-up easier and more effective
ROLL SPECIFICATIONS	: 6.00 ft. x 45.00 ft. - weight 88.00 lbs. 1.83 m x 13.72 m. - weight 39.90 kg
GOVERNMENT APPROVED	: Approved for use by the U.S. Department of Housing and Urban Development and the Federal Housing Authority, FOUNDATION meets government standards.
WARRANTY	: Double-glue - Warranted term equal to that of co-installed carpet warranty Stretch-in - Warranted for two carpet installations

Note: Specification values subject to a 7% manufacturing tolerance




GREEN PROPERTIES

RENEWABLE CONTENT	: Made in part with eco-friendly soybean oil, lessening dependence on petrochemicals. This reduces global warming emissions and the need for foreign oil while supporting local farmers and producers. <i>Applicable towards LEED Credit MR 6 - Rapidly Renewable Resources.</i>
INDOOR AIR QUALITY	: CRI Green Label certified. The only carpet cushion GREENGUARD Indoor Air Quality Certified® as a low emitting interior building material. <i>Applicable towards LEED Credit EQ 4.3 - Low Emitting Product.</i>
ANTIMICROBIAL	: Ultra-Fresh® antimicrobial prevents mold, mildew and bacterial growth while controlling dust mites for life-long odor free installation.
RECYCLABLE	: Post-consumer recyclable, Zero Landfill Manufacturing waste



1.83 m (6 Feet)
Roll Width



33 cm
(13 inches)

Roll Diameter

Roll length is 13.72 m

Roll weight is 37 kg

Core Size : 10.2 cm (4 inches)



www.agkcarpetsinternational.com



0544 AGK HALI • 0544 ALO HALI



AGK YER KAPLAMALARI PAZ. İNŞ. VE SAN. LTD.

İSTANBUL: Göztepe Mah. Göksu Evleri Sit, Akkavak Cad B145B 18 No'lu Villa
34815 Anadoluhisar Beykoz İstanbul
Tel:(216) 463 19 12 Fax:(216) 463 19 15

İZMİR: Şair Eşref Bulvarı No:22/802 35230 Çankaya İzmir
Tel:(232) 483 50 63 Fax:(232) 483 02 35

ANKARA: Şehit Kurbani Akboğa Sok. No:17/2 06610 Birlik Ankara
Tel:(312) 495 72 57 Fax:(312) 495 72 45 GSM:(532) 326 94 87
info@agk.com.tr www.agk.com.tr